



October 22, 2025

The City of Darien is soliciting for competitive quotes for the purchase & delivery of fire hydrants and repair parts as per the attached list.

The attached proposed material summary sheet lists the materials and a range of quantities based on a vendor submitted unit price. The City of Darien reserves the right to reduce, eliminate, or increase the specified material and/or quantity. The pricing shall be held in place from May 1, 2026 through April 30, 2027. In addition, the City will also be entertaining two optional extensions: May 1, 2027 through April 30, 2028 and May 1, 2028 through April 30, 2029. Quotes will be accepted until November 12, 2025 until the hour of 11:00 a.m. Quotes may be faxed to 630-852-4709 or emailed to rkokkinis@darienil.gov followed by an original copy delivered to the City of Darien at 1702 Plainfield Road and clearly marked as Fire Hydrant Parts, ATTN: Municipal Services.

The attached form must be used.

Any and all requests or addendums shall be made in writing to the attention of the Superintendent of Municipal Services, at kthrom@darienil.gov. All requests will be responded to within 48 hours to all bidders on file.

City of Darien - Clow Eddy Fire Hydrant Parts Quote

Hydrant Part Number	Hydrant Part Name	2026 - 27 Quoted Price (Each)	2027 -28 Quoted Price (Each)	2028 - 29 Quoted Price (Each)
1	Hold Down Bolt			
2	Operating Nut			
3	Packing Nut			
4	Packing			
5	Cover			
6	Cover Bolts and Nuts			
7	Swivel Ring			
8	Nozzle Section			
9	Pumper Nozzle			
11	Pumper Nozzle Cap			
12	Pumper Cap Washer			
13	Flange Bolts and Nuts			
14	Flange Gaskets			
15	Nozzle O-Ring			
16	2-1/2" Hose Nozzle			
17	2-1/2" Hose Nozzle Cap			
18	2-1/2" Hose Cap Washer			
19	Upper Stem			
20	Standpipe			
21A	Valve Plate			
22A	O-Rings			
24	Valve Rubber			
25	Seat Ring			
26	Throttling Ring			
27A	Thrust Washer			
28A	Snap Ring			
29A	Lower Stem			
32	Lock Nut			
33	Drain Spool			
34	Drain Lever			
35	Lever Pin			
36	Clevis & Nut			
37	Drain Support			
38	Drain Rod			
39	Drain Valve Backer			
40	Drain Valve Rubber			
41	Drain Cup			
42	Retaining Nut			
43	Bottom Bolts & Nuts			
44	Bottom Gasket			
45	Bottom Gasket			
46	Stem Coupling			
47	Stem Coupling Pin			
48	Middle Stem			
	Safety Flange Repair Kit			
	Extension Kit			
	Main Valve Seat Repair Kit			
A	Main Stem			
B	Hydrant Valve			
C	Drain Support			
D	Drain Valve			
E	Complete Valve & Stem			
Company Name:				
Address:				
Submitted By-Print name				
Date:				
Office Telephone Number:				
Mobile Telephone Number:				
E-mail address:				
Authorized Signature				

* 5-1/4" Main Valve Opening

** Upper and Lower Rods should be for Typical 6' Bury Depth

City of Darien - Clow Medallion Fire Hydrant Parts Quote

Hydrant Part Number	Hydrant Name	Part	2026 - 27 Quoted Price (Each)	2027 - 28 Quoted Price (Each)	2028 - 29 Quoted Price (Each)
Reference # 42917 for all parts)					
1	Operating Nut O-Ring				
2	Operating Nut Thrust Bearing				
3	Operating Nut O.R.				
3	Operating Nut O.L.				
4	Upper Stem Jam Nut				
5	Upper Stem Sleeve				
6	Upper Stem Sleeve O-Ring				
7	Upper Stem O.R.				
7	Upper Stem O.L.				
8	Upper Stem Pin				
9	Safety Coupling Cotter Pins				
10	Safety Stem Coupling				
11	Safety Coupling Pins				
12	Lower Stem				
13	Lower Stem Pin				
14	Upper Valve Plate O-Ring				
15	Drain Valve Facing Screw				
16	Drain Valve Facing				
17	Upper Valve Plate				
18	Seat Ring Upper O-Ring				
19	Seat Ring				
20	Seat Ring Lower O-Ring				
21	Main Valve Rubber				
22	Lower Valve Plate Lockwasher				
24	Lower Valve Plate				
25	Weather Cap Hold Down Screw				
26	Weather Cap				
27	Thrust Nut				
28	Thrust Nut O-Ring				
29	Bonnet Bolts & Nuts				
30	Bonnet				
31	Stem O-Rings				
32	Bonnet O-Ring				
33	Nozzle Section				
34	Pumper Nozzle Lock				
35	Pumper Nozzle O-Ring				
36	Pumper Nozzle				
37	Pumper Nozzle Gasket				
38	Pumper Nozzle Cap				
39	Hose Nozzle Lock				
40	Hose Nozzle O-Ring				
41	Hose Nozzle				
42	Hose Nozzle Gasket				
43	Hose Nozzle Cap				
45	Trench Depth Tag & S-Hook				
46	Safety Flange Bolts & Nuts				
47	Safety Flange O-Ring				
48	Barrel Upper Flange				
49	Safety Flange				
50	Barrel Upper Flange				
51	Shoe Bolts & Nuts				
52	Barrel Lower Flange				
53	Drain Ring O-Rings				
54	Drain Ring				
56	Locking Spacer				
57	Shoe				
58	Thrust Nut Screw Set				
42911	5-1/4" Medallion Main Valve Repair Kit				
42912	5-1/4" Medallion Safety Repair Kit				
42913	5-1/4" x 6" Medallion Hyd. Extension				
42914	5-1/4" x 12" Medallion Hyd. Extension				
42915	5-1/4" x 18" Medallion Hyd. Extension				
42916	5-1/4" x 24" Medallion Hyd. Extension				
Company Name:					
Address:					
Submitted By-Print name					
Date:					
Office Telephone Number:					
Mobile Telephone Number:					
E-mail address:					
Authorized Signature					

* 5-1/4" Main Valve Opening

** Upper and Lower Rods should be for Typical 6' Bury Depth

City of Darien - Clow F2500 Fire Hydrant Parts Quote

Hydrant Part Number	Hydrant Part Name	2026 - 27 Quoted Price (Each)	2027 - 28 Quoted Price (Each)	2028 - 29 Quoted Price (Each)
1	Operating Nut			
2	Cover			
3	Nozzle Section (2 Nozzle)			
3	Nozzle Section (3 Nozzle)			
4	Thrust Nut			
5	Thrust Bearing Race			
6	Standpipe			
7	Lower Flange			
8	Bottom			
8	Bottom (Drain Ring Option)			
9	Hex Hd. Capscrew 5/8-11 NC x 1-3/4			
10	Cover Gasket			
11	O-Ring - 152			
12	Hex Stop Nut 1" - 8 NC			
13	O-Ring - 218			
14	Hex Hd. Bolt 3/4-10 NC X 3-1/4			
15	Hex Hd. Nut 3/4-10 NC			
16	Upper Valve Plate			
17	Hex Hd. Bolt 7/16-14 NC x 2-1/2 w/nut			
18	O-Ring - 214			
19	Standpipe Gasket			
20	O-Ring - 259			
21	Hex Hd. Bolt 3/4-10 NC x 4-1/2			
22	S-Hook 13 Ga. X 1"			
23	O-Ring - 258			
24	Valve Seat			
25	Lower Valve Plate			
26	Retaining Ring			
27	Valve Seat Ring			
28	Driv-Lok Stud #6 x 3/8			
29	Drain Tube			
30	Driv-Lok Pin 1/4 x 1-1/4 Type C			
31	Hex Hd. Bolt 7/16-14 NC x 3			
32	Hex Nut 7/16-14 NC			
33	Lock Washer 7/16			
34	Pin 7/16 x 2-1/4 Type E			
35	Stem Coupling			
36	Upper Stem OL			
36	Upper Stem OR			
37	Lower Stem			
38	Steamer Nozzle			
38	Hoze Nozzle			
39	Steamer Nozzle Cap			
39	Hoze Nozzle Cap			
40	Steamer Nozzle Gasket			
40	Hose Nozzle Gasket			
42	Bearing			
43	O-Ring - 177			
45	O-Ring - 226			
46	Hex Hd. Capscrew 3/8-16 NC x 1/2 LG			
47	Drain Ring			
48	Trench Depth Tag			
49	Upper Stem Sleeve			
50	Safety Flange (One Piece or Split)			
51	Standpipe Gasket - Upper			
Company Name:				
Address:				
Submitted By-Print name				
Date:				
Office Telephone Number:				
Mobile Telephone Number:				
E-mail address:				
Authorized Signature				

* 5-1/4" Main Valve Opening

** Upper and Lower Rods should be for Typical 6' Bury Depth

City of Darien - Traverse City TVC-5 Fire Hydrant Parts Quote

Hydrant Part Number	Hydrant Part Name	2026 - 27 Quoted Price (Each)	2027 - 28 Quoted Price (Each)	2028 - 29 Quoted Price (Each)
1	Stuffing Box Gasket			
2	Top Stem Stud			
3	Hex Nut 1/2-13			
4	Operating Nut			
5	Stuffing Box			
6	O-Ring Packing			
7	Top Stem			
8	Nozzle Section			
9	Hose Nozzle			
10	Pumper Nozzle			
11	Hose Cap Gasket			
12	Pumper Cap Gasket			
13	Hoze Nozzle Cap			
14	Pumper Nozzle Cap			
16	Cotter Pin			
17	Barrel Gasket			
18	Barrel Ring			
19	Upper Rod (Traffic Only)			
20	Upper Barrel (Traffic Only)			
21	Hex Nut 5/16-18			
22	1/4			
23	Breakable T-Head Bolt			
24	Barrel Flange			
25	Hex Nut 5/8-11			
26	Breakable Coupling			
27	Rod (72")			
27	Rod (78")			
27	Rod (84")			
28	Barrel			
29	Hex Hd Bolt 5/8-11 x 2-3/4			
30	Valve Screw			
31	Drip Valve			
32	O-Ring Packing			
33	Valve Top Piece			
34	Valve Rubber			
35	Valve Seat			
36	Valve Bottom Piece			
37	Lock Nut			
38	Acorn Nut			
39	Hydrant Bottom			
40	Set Screw			
41	Drip Valve Leather			
42	Drain Bushing			
43	Pipe Plug			
44	Pipe Plug			
50	Hex Hed Bolt 5/8-11 x 3			
51	Flat Washer 5/8			
58	Drip Nail			
Unsure of Part #	Rod Extension (6")			
Unsure of Part #	Rod Extension (12")			
Unsure of Part #	Rod Extension (18")			
Unsure of Part #	Rod Extension (24")			
Company Name:				
Address:				
Submitted By-Print name				
Date:				
Office Telephone Number:				
Mobile Telephone Number:				
E-mail address:				
Authorized Signature				

* 5-1/4" Main Valve Opening

City of Darien - East Jordan - WaterMaster 5BR250 Fire Hydrant Parts Quote

Hydrant Part Number	Hydrant Part Name	2026 - 27 Quoted Price (Each)	2027 - 28 Quoted Price (Each)	2028 - 29 Quoted Price (Each)
1	Operating Nut			
2	Hold Down Nut			
3	Weater Seal O-Ring			
4	Bonnet			
5	Thrust Washers			
6	Operating Stem Top 21 1/2"			
7	Hose Nozzel O-Rings			
8	Hose Nozzels			
9	Hose Nozzel Gaskets			
10	Hose Nozzel Caps			
11	Pumper Nozzel O-Rings			
12	Pumper Nozzels			
13	Pumper Nozzel Gaskets			
14	Pumper Nozzel Caps			
16	Reservoir O-Rings			
17	Quad-Seal Rings			
18	Bonnet Bolts & Nuts			
19	Drive-Loc Pins			
20	Traffic Standpipe Upper			
21	Safety Flange Bolts & Nusts			
22	Swivel Flanges			
23	Stem Coupling			
24	Coupling Pin & Cotter Keys			
25	Standpipe Lower Section			
26	Operating Stem Lower			
27	Drip Shutoff			
28	Inserts			
29	Valve Seat			
31	Valve Seat O-Rings			
32	Brass Drain Hole Bushings			
33	Inlet Flange O-Ring			
34	Seating Valve Rubber			
35	Valve Washer			
36	Bottom Inlet			
37	Inlet Flange Bolts & Nuts			
39	Set Screw (1/4 - 20 ss Cone Pt.)			
40	Pipe Plugs (1/4 NPTF SS HX			
Company Name:				
Address:				
Submitted By-Print name				
Date:				
Office Telephone Number:				
Mobile Telephone Number:				
E-mail address:				
Authorized Signature				

*** 5-1/4" Main Valve Opening**

**** Upper and Lower Rods should be for Typical 6' Bury Depth**

City of Darien-East Jordan-WaterMaster 5CD250 Fire Hydrant Parts Quote

Hydrant Part Number	Hydrant Name	Part	2026 - 27 Quoted Price (Each)	2027 - 28 Quoted Price (Each)	2028 - 29 Quoted Price (Each)
1	Operating Nut				
2	Hold Down Nut				
3	Weater Seal O-Ring				
4	Top Bonnet				
5	Thrust Washers				
6	Operating Stem Top 24 1/2"				
7	Hose Nozzel O-Rings				
8	Hose Nozzels				
9	Hose Nozzel Gaskets				
10	Hose Nozzel Caps				
11	Pumper Nozzel O-Rings				
12	Pumper Nozzels				
13	Pumper Nozzel Gaskets				
14	Pumper Nozzel Caps				
16	Reservoir O-Rings				
17	Quad-Seal Rings				
18	Top Bonnet Bolts & Nuts				
19	Drive-Loc Pins				
20	Nozzle Standpipe				
21	Safety Flange Bolts & Nusts				
22	Swivel Flanges				
23	Stem Coupling				
24	Coupling Pin & Cotter Keys				
25	Standpipe Lower Section				
26	Operating Stem Lower				
27	Drip Shutoff				
28	Inserts				
29	Valve Seat				
31	Valve Seat O-Rings				
32	Brass Drain Hole Bushings				
33	Inlet Flange O-Ring				
34	Seating Valve Rubber				
35	Valve Washer				
36	Bottom Inlet				
37	Inlet Flange Bolts & Nuts				
39	Set Screw (1/4 - 20 ss Cone Pt.)				
40	Pipe Plugs (1/4 NPTF SS HX				
Company Name:					
Address:					
Submitted By-Print name					
Date:					
Office Telephone Number:					
Mobile Telephone Number:					
E-mail address:					
Authorized Signature					

* 5-1/4" Main Valve Opening

** Upper and Lower Rods should be for Typical 6' Bury Depth

City of Darien - Waterous Pacer Fire Hydrant Parts Quote

Hydrant Part Number	Hydrant Part Name	2026 - 27 Quoted Price (Each)	2027 - 28 Quoted Price (Each)	2028 - 29 Quoted Price (Each)
3	O-Ring(Lower Valve Seat) 5-5/8x5-7/8			
6A	Hex hd bolt 5/8-11 x 3-3/4 in.			
6B	Hex hd bolt 5/8-11 x 3 in.			
6C	Hex Nut 5/8-11 (Below Grade)			
6C	Hex Nut 5/8-11 (Above Grade)			
7	Drain Plunger			
10	Nozzle Cap, hose or pumper			
11	Cap gasket, hose or pumper			
12	Nozzle, hose or pumper			
16	Flat hd screw, 1/4-20 x 1/2 in.			
17A	Lower Operating Nut			
17B	Upper Operating Nut			
25	Rod Bushing			
29	Lower Standpipe			
30	Crossarm			
31	Valve Seat			
34	Upper Valve Washer			
35	Main Valve Rubber			
36	Lower Valve Washer			
37	Hydrant Bottom			
40	Upper Standpipe			
56	Support Wheel			
57	O-Ring (Operating Nut) 1-1/2 x 1-3/4			
59	O-Ring (Support Wheel) 1-1/8 x 1-3/8			
60	Nozzle Section			
61	Bury Depth Plate			
61	Bury Depth Plate Washer			
62B	Upper Standpipe Flange			
63	Standpipe Flange			
64	Flange Lock Ring			
67	Coupling Sleeve (two halves)			
71	Upper Rod			
72	Lower Rod			
77	O-Ring (Upper Valve Seat) 5-7/8x6-1/8			
81	Groove Pin 3/32x7/16 in.			
82	O-Ring (Upper Tube Seal) 2-3/8x2-5/8			
83	O-Ring (Lower Tube Seal) 1-7/8x2-1/8			
84	Support Wheel/lower standpipe gasket			
85	Support tube			
86	Stop Nut 1"-8			
87	Coupling Nut 1/2-20			
88	Coupling Stud 1/20-2-9/16 in.			
89	Nozzle Section bushing			
90	Thrust Ring			
92	Upper Standpipe gasket			
99	Pipe Plug 1/4 NPT			
113	Breakable Flange			
116	O-Ring (pumper nozzle) 5-1/4x5-3/4			
117	Pumper Nozzle retainer			
118	O-Ring (hose nozzle) 3-1/4x3-5/8			
119	Hose Nozzle retainer			
173	Valve Seat Insert			
174	Valve Seat Insert Gasket			
176	Stud 5/8-11x5.650 in.			
180	Kick-out Ring			
Company Name:				
Address:				
Submitted By-Print name				
Date:				
Office Telephone Number:				
Mobile Telephone Number:				
E-mail address:				
Authorized Signature				

* 5-1/4" Main Valve Opening

** Upper and Lower Rods should be for Typical 6' Bury Depth

City of Darien Mueller - Super Centurion Fire Hydrant Parts Quote Sheet

Hydrant Part Number	Hydrant Part Name	2026 -27 Quoted Price (Each)	2027 -28 Quoted Price (Each)	2028 -29 Quoted Price (Each)
A-1	Operating Nut			
A-2	Weather Cap			
A-3	Hold Down nut O-Ring			
A-4	Hold Down Nut			
A-5	Bonnet O-Ring			
A-6	Anti-friction washer			
A-7	Oil Plug			
A-8	Bonnet O-Ring			
A-9	Bonnet Bolt & Nut			
A-10	Bonnet O-Ring			
A-11	Upper Stem			
A-12	Stem O-Ring			
A-13	Nozzle Lock			
A-14	Pumper Nozzle			
A-15	Pumper Nozzle Gasket			
A-16	Pumper Nozzle O-Ring			
A-17	Pumper Nozzle Cap			
A-18	Hoze Nozzle			
A-19	Hoze Nozzle Gasket			
A-20	Hose Nozzle O-ring			
A-21	Hose Nozzle Cap			
A-24	Upper Barrel Less Nozzles			
A-25	Safety Coupling			
A-26	Safety Flange Bolt & Nut			
A-27	Safety Flange O-Ring			
A-28	Safety Flange			
A-29	Cotter Pin			
A-30	Clevis Pin			
A-31	Lower Stem			
A-32	Lower Barrel			
A-33	Stem Pin			
A-34	Drain Valve Facing			
A-35	Drain Valve Screw			
A-36	Upper Valve Plate			
A-37	Shoe Bolt and Nut			
A-38	Drain Ring Housing O-Ring			
A-39	Seat Ring Top O-Ring			
A-40	Drain Ring Housing			
A-41	Drain Ring Housing Bolt and nut			
A-42	Drain Ring			
A-43	Seat Ring			
A-44	Seat Ring bottom O-Ring			
A-45	Reversible Mian Valve			
A-46	Lower Valve Plate			
A-47	Cap Nut Seal			
A-48	Lock Washer			
A-49	Lower Valve Plate Nut			
A-50	Shoe			
A-84	Hold Down Nut			
A-85	Weather Seal			
280355	Bonnet Repair Kit			
280359	Main Valve Repair Kit			
A-320	Extension Kit			
A-321	Safety Flange Repair Kit			
280357	Shoe Repair Kit			
Company Name:				
Address:				
Submitted By-Print name				
Date:				
Office Telephone Number:				
Mobile Telephone Number:				
E-mail address:				
Authorized Signature				

* 5-1/4" Main Valve Opening

** Upper and Lower Stems Should be for Typical 6' Bury Depth

City of Darien U.S. Pipe - Metropolitan 250 Fire Hydrant Parts Quote Sheet

Hydrant Part Number	Hydrant Name	Part	2026 -2027 Quoted Price (Each)	2027 -2028 Quoted Price (Each)	2028 -2029 Quoted Price (Each)
1	Operating Nut				
2	Operating Nut Seal				
3	Operating Nut Pin				
5	Travel Stop Nut				
6	Hold Down Nut				
7	Hold Down Nut Screw				
8	Bonnet				
9	Bonnet Locking Screw				
10	Bonnet Seal				
11	O-Ring				
12	Bonnet - Revolving Nut O-ring				
13	Revolving Nut				
14	Inner Revolging Nut O-Rings				
15	Pumper Nozzle				
16	Pumper Nozzle Cap Gasket				
17	Pumper Nozzle Cap				
18	Pumper Nozzle O-Ring				
19	Hose Nozzle				
20	Hose Nozzle Cap Gasket				
21	Hose Nozzle Cap				
22	Hose Nozzle O-Ring				
24	Valve Rod Upper (including copper sheath with o-ring & shear proof rod pin)				
25	Standpipe Upper				
26	Valve Rod Coupling (Flangible)				
27	Coupling Retaining Rings				
28	Rod Coupling Pins				
29	Standpipe Coupling Seal				
30	Standpipe Coupling Halves (Flangible)				
31	Standpipe Coupling Bolt & Nut				
33	Valve Rod Lower				
34	Top Plate Pin - Shear Proof				
35	Valve Top Plate				
37	Shoe Locking Key				
38	O-Ring Gasket				
39	Drain Valve Facing				
42	Seat Ring				
43	Seat Ring O-Ring				
44	Main Valve				
45	Valve Bottom Plate				
46	Shoe, Including Bronze Sub-Seat				
47	Anti-Friction Bearing				
Company Name:					
Address:					
Submitted By-Print name					
Date:					
Office Telephone Number:					
Mobile Telephone Number:					
E-mail address:					
Authorized Signature					

* 5-1/4" Valve Opening

** The Hydrant Opens Counter-Clockwise

*** Upper and Lower Valve Rods should be for Typical 6' Bury Depth